

## Price List

Item	Part No. & Specification	Quantity	Unit Price(US\$)	Amount(US\$)
	<b>Wall-mount type power adapter</b> model: SMT-012-006VP /SMT-024-006VP Input: 100~240vAC / 47-63Hz output: <b>12V @0.5A 6W / (24V @0.25A 6W)</b> AC: UL standard AC plug DC cord: 1.2m UL standard cord with male plug DC connector: 5.5x2.1x10mm or 5.5*2.5*10mm <b>UL/cUL(file #: E365202), CE, ROHS approval</b> 0.5kg/pcs / 50pcs/ctn , <b>18 months warranty</b>	500pcs		
		1000pcs		
	<b>Wall-mount type power adapter</b> model: SMT-012-012VP / SMT-024-012VP Input: 100~240vAC / 47-63Hz output: <b>12V @ 1A 12W / (24V @0.5A 12W)</b> AC: UL standard AC plug DC cord: 1.2m UL standard cord with male plug DC connector: 5.5x2.1x10mm or 5.5*2.5*10mm <b>UL/cUL(file #: E365202), CE, ROHS approval</b> 0.5kg/pcs / 50pcs/ctn , <b>18 months warranty</b>	500pcs		
		1000pcs		
		3000pcs		
	Wall-mount type power adapter model: SMT-012-018VP / SMT-024-018VP Input: 100~240vAC / 47-63Hz output: <b>12V @1.5A 18W / (24V @0.75A 18W)</b> AC: UL standard AC plug DC cord: 1.2m UL standard cord with male plug DC connector: 5.5x2.1x10mm or 5.5*2.5*10mm <b>UL/cUL(file #: E365202), CE, ROHS approval</b> 0.5kg/pcs / 50pcs/ctn , <b>18 months warranty</b>	500pcs		
		1000pcs		
	<b>Wall-mount</b> type switching power adapter model: SMT-012-026VP / SMT-024-026VP Input: 100~240vAC / 47-63Hz output: <b>12V @2A 24W / (24V @1A 24W)</b> AC cord: UL standard AC plug DC cord: 1.2m UL standard cord with male plug DC connector: 5.5x2.1x10mm <b>UL/cUL (file #: E365202), CE, ROHS approval</b> 0.5kg/pcs / 50pcs/ctn , <b>18 months warranty</b>	500pcs		
		1000pcs		
	wall-mount type switching power adapter model: SMT-012-030VP / SMT-024-030VP Input: 100~240vAC / 47-63Hz output: <b>12V @ 2.5A 30W / (24V @1.25A 30W)</b> AC plug: UL standard AC plug DC cord: 1.2m UL standard cord with male plug DC connector: 5.5x2.1x10mm or 5.5*2.5*10mm <b>UL/cUL (file #: E365202), CE, ROHS approval</b> 0.5kg/pcs / 50pcs/ctn , <b>18 months warranty</b>	500pcs		
		1000pcs		
		3000pcs		

	<p>Desktop type switching power adapter model: SMT-012-036VP / SMT-024-036VP Input: 100~240vAC / 47-63Hz output: <b>12V @ 3A 36W / (24V @1.5A 36W)</b> AC cord: UL standard AC plug DC cord: 1.2m UL standard cord with male plug DC connector: 5.5x2.1x10mm or 5.5*2.5*10mm <b>UL/cUL (file #: E365202)</b>, CE, ROHS approval 0.5kg/pcs / 50pcs/ctn , <b>18 months warranty</b></p>	500pcs		
	<p>Desktop type switching power adapter model: SMT-012-048VP / SMT-024-048VP Input: 100~240vAC / 47-63Hz output: <b>12V @ 4A 48W / (24V @2A 48W)</b> AC cord: UL standard AC plug DC cord: 1.2m UL standard cord with male plug DC connector: 5.5x2.1x10mm or 5.5*2.5*10mm <b>UL/cUL (file #: E365202)</b>, CE, ROHS approval 0.4kg/pcs / 50pcs/ctn , <b>2 years warranty</b></p>	500pcs		
	<p>Desktop type switching power adapter model: SMT-012-060VP / SMT-024-060VP Input: 100~240vAC / 47-63Hz output: <b>12V @ 5A 60W / (24V @2.5A 60W)</b> AC cord: UL standard AC plug DC cord: 1.2m UL standard cord with male plug DC connector: 5.5x2.1x10mm or 5.5*2.5*10mm <b>ETL/cETL (file #: 5009662)</b>, CE, ROHS approval 0.5kg/pcs / 50pcs/ctn , <b>2 years warranty</b></p>	500pcs		
	<p>Desktop type switching power adapter model: SMT-012-072VP / SMT-024-072VP Input: 100~240vAC / 47-63Hz output: <b>12V @ 6A 72W / (24V @3A 72W)</b> AC cord: UL standard AC plug DC cord: 1.2m UL standard cord with male plug DC connector: 5.5x2.1x10mm or 5.5*2.5*10mm <b>ETL/cETL (file #: 5009662)</b>, CE, ROHS approval 0.5kg/pcs / 50pcs/ctn , <b>2 years warranty</b></p>	500pcs		
	<p>Desktop type switching power adapter model: SMT-012-90VP / SMT-024-90VP Input: 100~240vAC / 47-63Hz output: <b>12V @7.5A 90W / (24V @3.75A 90W)</b> AC cord: UL standard AC plug DC cord: 1.2m UL standard cord with male plug DC connector: 5.5x2.1x10mm or 5.5*2.5*10mm <b>ETL/cETL (file #: 5009662)</b>, CE, ROHS approval 0.5kg/pcs / 50pcs/ctn , <b>2 years warranty</b></p>	500pcs		
	<p>Desktop type switching power adapter model: SMT-012-100VP / SMT-024-100VP Input: 100~240vAC / 47-63Hz output: <b>12V @8.33A 100W / (24V @4.17A 100W)</b> AC cord: UL standard AC plug DC cord: 1.2m UL standard cord with male plug DC connector: 5.5x2.1x10mm or 5.5*2.5*10mm <b>ETL/cETL (file #: 5009662)</b>, CE, ROHS approval 0.5kg/pcs / 50pcs/ctn , <b>2 years warranty</b></p>	500pcs		
	<p>Desktop type switching power adapter model: SMT-012-100VP / SMT-024-100VP Input: 100~240vAC / 47-63Hz output: <b>12V @8.33A 100W / (24V @4.17A 100W)</b> AC cord: UL standard AC plug DC cord: 1.2m UL standard cord with male plug DC connector: 5.5x2.1x10mm or 5.5*2.5*10mm <b>ETL/cETL (file #: 5009662)</b>, CE, ROHS approval 0.5kg/pcs / 50pcs/ctn , <b>2 years warranty</b></p>	1000pcs		
	<p>Desktop type switching power adapter model: SMT-012-100VP / SMT-024-100VP Input: 100~240vAC / 47-63Hz output: <b>12V @8.33A 100W / (24V @4.17A 100W)</b> AC cord: UL standard AC plug DC cord: 1.2m UL standard cord with male plug DC connector: 5.5x2.1x10mm or 5.5*2.5*10mm <b>ETL/cETL (file #: 5009662)</b>, CE, ROHS approval 0.5kg/pcs / 50pcs/ctn , <b>2 years warranty</b></p>	3000pcs		

**Note:**

1)Delivery: FOB Xiamen,Fujian,China

- 2)**Validity:** 7 days from the date hereof
- 3)**Payment Term:** T/T in advance
- 4)**Delivery Time:**according to the quantity
- 5)**MOQ:**1000pcs
- 6)**Lead time:** about 25 working days
- 7) All bank charges if happen, should be for the buyer's account

**Bank Information:**

**BENEFICIARY.:** Smarts Industrial Holding Co., Ltd (Note: Fill in "full company name" )

**BENEFICIARY'S ACCOUNT NO.:** OSA7559-1726-6332-201 (Note: Fill in "OSA + Number")

**ADDR:** No.6 Building Fulong Park Fuqiao Lichen, Quanzhou, Fujian, China

**SWIFT:** CMBCCNBS008

**BENEFICIARY BANK:** CHINA MERCHANTS BANK H.O. SHENZHEN

**BANK ADDRESS:** 17/F, CHINA MERCHANTS BANK TOWER,NO. 7088 SHENNAN BOULEVARD, CHINA